



Product Number	Application	Gloss Level	Single Pack (1K)	Two Pack (2K)	2K Mixing - Part B	Thinning	Pack Size - kg
FA42 Sealer	WB clear sealer for interior timber	N/A	Yes	Yes	10 % CA508 By weight	Up to 15% by weight DGPA1 # 1 Thinner	5 kg
FA45 Sealer	WB clear sealer for interior timber	N/A	No	Yes	20% CA508 By weight	Up to 20% by weight DGPA1 # 1 Thinner	5 kg
AO470 Clear Top Coat	WB clear top coat for interior timber Can be tinted to NCS colour range	AO470G10 = 10% AO470 = 25% AO472 = 55%	Yes	Yes	10 % CA508 By weight	Up to 15% by weight DGPA1 # 1 Thinner	AO470G10 - 5 kg AO470 - 5 kg & 25 kg AO472 - 5 kg & 25 kg
SOFTTOUCH	WB clear top coat for interior timber	Matt finish with a Softtouch feel	No	Yes	10 % CA501 By weight	Up to 10% by weight DGPA1 # 1 Thinner	5 kg
NATURAL TOUCH	WB clear topcoat for interior timber	Matt finish with a natural touch effect	No	Yes	15 % CA507 By weight	Up to 10% by weight DGPA1 # 1 Thinner	5 kg
FA452B Undercoat	WB white undercoat for interior timber	N/A	Yes	Yes	5 % CA508 By weight	Up to 15% by weight DGPA1 # 1 Thinner	5, 25 kg
FA45B Undercoat	WB white undercoat for interior timber	N/A	No	Yes	10 % CA508 By weight	Up to 20% by weight DGPA1 # 1 Thinner	5, 25 kg
AOB510G25 Pigmented Top Coat	WB pigmented topcoat. White & tinted to ICA & NCS Colours	25% (Satin)	Yes	Yes	10 % CA508 By weight	Up to 15% by weight DGPA1 # 1 Thinner	5, 25 kg Tinted colours - minimum 1 kg

NOTE: The letter 'B' in product number denotes Bianca (white) - CA501 & CA508 available in 500gm & 1kg.

MIROTEC WATER BASED COATINGS

Product	Application	Gloss Level	Properties	Single Pack	Pack Size
---------	-------------	-------------	------------	-------------	-----------

Clear Coatings:

MIROTEC WB 8022 Clear Sealer	Clear Sealer for Interior Timber	n/a	Easy to apply, low yellowing, easy to sand. Ideal to use over blond timbers and liming stains. Low VOC, low odour, non-flammable Phthalate free. It is ideal for children's toys.	Yes	5, 20 Lt
MIROTEC WB 8060 Clear Topcoat	Clear Top Coat for Interior Timber	Silky Matt 10%, Satin 30%, Semi Gloss 50%	Easy to apply, low yellowing, easy to sand. Ideal to use over blond timbers and liming stains. Low VOC, low odour, non-flammable Phthalate free. It is ideal for children's toys.	Yes	5, 20 Lt

Pigmented Coatings:

MIROTEC WB 8126 Undercoat	Pigmented Undercoat for interior Timber (limited Exterior durability without topcoat)	Matt 10%	Excellent sanding, powders easily. Low VOC, low odour, non-flammable. Excellent water resistant.	Yes	15, 205 Lt
----------------------------------	---	----------	--	-----	------------

MIROTEC WB 8622	Durable Pigmented Sealer for Interior/Exterior application	High Sheen	Non-flammable, low odour. Spray, roller, brush application. Good build.	Yes	15, 205 Lt
MIROTEC WB 8626	Pigmented Sealer for Interior/Exterior application	Satin	Non-flammable, low odour. Spray, roller, brush application. Good build.	Yes	15, 205 Lt
MIROTEC WB 8676	Pigmented Topcoat (Recommended undercoat is MIROTEC WB8126)	Satin, Gloss	Non-flammable, low odour. Spray, roller, brush application. Good build.	Yes	15 Lt

MIROTHANE POLYURETHANE COATINGS - Clear Isolators & Sealers

Technical	Description	Gloss Levels	Pack A Sizes	Part B	Mixing Ratio	Sealer Required	Thinners
PU 5500	Clear 1K Wood Primer or 2K Isolator Coat	-	4, 20 Lt	For 2K Isolator PU 5789	10A:1B	-	1217 / 1266
PU 5535	Two pack Clear Sealer	-	1, 4, 20 Lt	PU 5730	2A:1B	-	1265
PU 5545	Two pack Clear Sealer	-	1, 4, 20 Lt	PU 5718 PU 5728 PU 5747	Refer Technical Data Sheet	-	1217 / 1265

MIROTHANE POLYURETHANE COATINGS - Clear Topcoats

Technical	Description	Gloss Levels	Pack A Sizes	Part B	Mixing Ratio	Sealer Required	Thinners
PU 5555	Clear Topcoat	30, 50	1, 4, 20 Lt	PU 5728 PU 5735 PU 5747	Refer Technical Data Sheet	PU 5545	1217 / 1265
PU 5555	Clear Topcoat	Gloss	1, 4, 20 Lt	Refer Technical Data Sheet	Refer Technical Data Sheet	PU 5545	1265 / 1260
PU 5577	Clear Sunshield Topcoat	10, 30, Gloss	4, 20 Lt	PU 5735 PU 5789	4A:1B	Refer Technical Data Sheet	1266 / 1260
PU 5578	Clear Natural Topcoat	5	4, 20 Lt	PU 5747 PU 5780	5A:1B	PU 5545 PU 5578	1217 / 1266
PU 5588	Clear Topcoat	20, 30, 60	4, 20 Lt	PU 5747 PU 5728	4A:1B 10A:1B	PC 3241 PU 5545, 5588	1280 / 1266

MIROTHANE POLYURETHANE COATINGS - Pigmented Undercoats

Technical	Description	Gloss Levels	Pack A Sizes	Part B	Mixing Ratio	Sealer Required	Thinners
PU 5626	Two Pack Pigmented Undercoat White, Black and Neutral	-	4, 16 Lt	PU 5718 PU 5728 PU 5747	Refer Technical Data Sheet	-	1217 / 1265
PU 5631	Two Pack Pigmented Undercoat White	-	16 Lt	PU 5718 PU 5728 PU 5747	Refer Technical Data Sheet	-	1217 / 1265

MIROTHANE POLYURETHANE COATINGS - Pigmented Topcoats

Technical	Description	Gloss Levels	Pack A Sizes	Part B	Mixing Ratio	Sealer Required	Thinners
PU 5608	Two Pack Pigmented Topcoat	10, 30, 60	1, 4, 16 Lt	PU 5747	4A:1B	PU 5626	1280 / 1266
PU 5610	Two Pack Pigmented Topcoat	30, Gloss	1, 4, 16 Lt	PU 5789 PU 5757	4A:1B	VY 6615 PU 5626	1265 / 1260
PU 5650	Two Pack Pigmented Topcoat	30, Gloss	1, 4, 16 Lt	PU 5728 PU 5747 PU 5757	Refer Technical Data Sheet	PU 5626 PU 5631	1265 / 1260

For thinning and mixing ratios on high solid PU 'B' Solutions — refer to the relevant Technical Data Sheets



MIROLAC NITROCELLULOSE LACQUERS - Pigmented

Product	Description			Gloss Levels	Pack Sizes	Mirotone Sealer	Thinners
NC 3125	Nitrocellulose Universal White and Black Undercoat	-	-	-	4, 20 Lt	MIROTHANE PU 5500 (MDF)	1234 / 1222
NC 3130	Nitrocellulose White Undercoat	-	-	-	20 Lt	-	1234 / 1222
NC 3150	Nitrocellulose Pigmented Top Coat	-	-	30, 60, Gloss	1, 4, 20 Lt	NC 3125	1222 / 1294

MIROCAT PRECATALYSED LACQUERS - Clear

Product	Description			Gloss Levels	Pack Sizes	Mirotone Sealer	Thinners
PC 3241	Single Pack Ready for Use Sealer	-	-	-	4, 20, 205 Lt	N/A	1234 / 1222
PC 3244	Clear Rapid Dry Sealer	-	-	-	20 Lt	N/A	1222 / 1294
PC 3210	Single Pack Precatalysed Lacquer	-	-	10, 30, 60	20, 205 Lt	PC 3241, 3244	1222 / 1294
PC 3220	Single Pack Precatalysed Lacquer	-	-	10, 20, 30, 50, Gloss	4, 20 Lt	PC 3220, 3241, 3244	1222 / 1294

MIROBILD ACID CATALYSED COATINGS - Pigmented

Product	Description	Gloss Levels	Pack A Sizes	Part B	Mixing Ratio	Sealer Required	Thinners
AC 3720	Pigmented Undercoat	-	4, 16 Lt	AC 3810	10A:1B	PU 5500	1220 / 1294
AC 3750	Pigmented Topcoat	30, 60, Gloss	1, 4, 20Lt	AC 3810	10A:1B	AC 3720	1294

MIROBILD ACID CATALYSED COATINGS - Clear

Product	Description	Gloss Levels	Pack A Sizes	Part B	Mixing Ratio	Sealer Required	Thinners
AC 3606	Low Yellowing, Aromatic Free Clear Topcoat	10, 30, 60, Gloss	4, 20 Lt	AC 3810	10A:1B	AC 3606, 3622	1220 / 1294
AC 3622	Clear Rapid Dry Sealer	-	4, 20 Lt	AC 3810	Refer T.D.S	-	1220 / 1294

MIROTEC WATER BASED COATINGS

Product	Description			Gloss Levels	Pack Sizes	Sealer Required	Thinners
WB 8022	Single Pack Clear Sealer	-	-	-	5, 20 Lt	-	Water
WB 8060	Single Pack Topcoat	-	-	10, 30, 60	5, 20 Lt	WB 8022	Water
WB 8126	Single Pack Pigmented Undercoat	-	-	Matt	15 Lt	-	Water
WB 8622	Single Pack Durable Pigmented Sealer	-	-	High Sheen	15 Lt	-	Water
WB 8626	Single Pack Pigmented Sealer	-	-	Satin	15 Lt	-	Water
WB 8676	Single Pack Pigmented Topcoat	-	-	Satin, Gloss	15 Lt	WB 8126	Water